

MEET THE STATE OF PROSPERITY

www.sunrisedoors.in



what's inside...

About Sunrise	04	Moulded Panel Doors with PVC Foil
Infrastructure	05	HDF Flush Doors
Laminated Flush Doors	06	Gold Primed Door Frames
Laminated Flush Doors with grooved	10	Fire Retardant
Veener Flush Doors	12	Doors Optional Door
Veener Flush Doors	14	Optional Door Infill - Cross Section
with grooved	14	Optional Door Accesories
Flush Doors with PVC Foil	16	Glass & Double Doors
Flush Doors with PVC Foil Grooved	18	Manufacturing Facilities
Moulded Panel Doors - Gold Primed	20	
Moulded Veener	21	







ABOUT SUNRISE

Sunrise is the brand of Kailash Timber Industries (KTI), has been in the business of flush doors in Since 1996. SUNRISE has a wide range of flush doors, veneer doors, laminated doors and decorative moulded panel doors as per the requirements of the client.

All the products are manufactured at the state-of-the art factory at Wada with new and latest imported machinery.


With an established dealer network, the products find great acceptance with corporate, public/private sector companies and institutions.

OUR MISSION

"Our mission is manufacturing products for flawless performance, top quality and lasting value. To provide luxurious lifestyle doors for construction industry with designs to cater the young generation for their furniture needs."

Our Manufacturing facility

Our manufacturing unit based in Wada, near Mumbai is an ideal location considering the transport and logistical benefits. Wide spread of our manufacturing facility includes automatic and latest equipments imported from across the globe.



CERTIFICATIONS



















Laminated Flush Doors

Solid core wooden flush doors as per Indian standard

Solid core flush door consists of block board core bonded with cross-band and face veneer constructed on both sides wood is generally seasoned and kiln dried as per IS Standard.

Further bonded with phenol formaldehyde resin and hot pressed at high temperature and pressure.

Processed on precision machinery keeping the structure and dimensions of the flush door, stable and perfect. The doors can be finally finished with These traditional doors are calibrated and pressed with HPL (decorative laminates) on both side.

Specifications

Thickness:

30 mm, 32 mm, 35 mm, 40 mm, 45 mm & 50 mm.

Standard sizes: in Inches 81x27, 81x32, 81x35

we also produce doors of 10x4(120"x48") size in few specific items and designs

other thicknesses and sizes(BULK) available on request.

Laminated Flush Doors - Plain









Laminated Flush Doors - Decorative











Laminated Flush Doors - Decorative







Laminated Flush Doors with Groove



These doors are durable and has a long life. Can be easily matched with the interiors of home/offices etc.

These can be single design sheet, can be combined with two tone or dark light combination or also with desired grooves of vertical or horizontal.

Specifications

Thickness:

30 mm, 32 mm, 35 mm, 40 mm, 45 mm & 50 mm.

Standard sizes: in Inches 81x27, 81x32, 81x35

we also produce doors of 10x4(120"x48") size in few specific items and designs

Other thicknesses and sizes(BULK) available on request.

Laminated Flush Doors - Decorative









Veener Flush Doors



Our Veneer flush doors are attractive and elegant range of doors comes with durable Natural veneer and Recon options veneer door gives a stunning impact in interiors and home décor. Sunrise veneer doors are available in leading veneer patterns and shades, custom shades and patterns can be provided on request.

Solid core flush door consists of block board core bonded with crossband and face veneer constructed on both sides. Wood is generally seasoned and kiln dried as per IS Standard.

Further bonded with phenol formaldehyde resin and hot pressed at high temperature and pressure. Processed on precision machinery keeping the structure and dimensions of the flush door, stable and perfect. The doors can be finally finished with commercial natural/recomposed or decorative veneer and can be both side.

Specifications

Thickness:

30mm, 32mm, 35mm, 40mm, 45mm etc

Veener Flush Doors - Plain










Veener Flush Doors Grooved





Wood is generally seasoned and kiln dried as per IS Standard. Further bonded with phenol formaldehyde resin and hot pressed at high temperature and pressure.

Processed on precision machinery keeping the structure and dimensions of the flush door, stable and perfect. The doors can be finally finished with commercial natural/ recomposed or decorative veneer and can be both side.

Specifications

Thickness:

30 mm, 32 mm, 35 mm, 40 mm, 45 mm & 50 mm.

Standard sizes:

81x27, 81x32, 81x35

other thicknesses and sizes(BULK) available on request.

we also produce doors of 10x4(120"x48") size in few specific items and designs

Veener Flush Doors - Grooved










Flush Doors with PVC Foil





Also Available Range of Solid Routed PVC Doors. The doors are ready to use with hardware easily fitted anywhere onto the frames as desired by the user.

The doors require no polishing, painting or varnishing hence eliminating recurring expenses. Sunrise Doors are made of best quality imported rigid HDF wood hence are most elegant.

Features

Imported rigid PVC
Anti-wraping / Cracking
Water Proof
It can be one side PVC or both side
Hot pressed
Marine grade
Eco-friendly
Kiln seasoned
International look
No polish / paint
Maintenance free
Real wood texture
Economical
Durable

Specifications

Thickness:

30 mm, 32 mm, 35 mm, 40 mm, 45 mm & 50 mm.

Standard sizes:

81x27, 81x32, 81x35

Other thicknesses and sizes(BULK) available on request.

Flush Doors with PVC Foil









Flush Doors with PVC Foil Grooved

Sunrise Doors are both sides PVC (one side PVC laminated also available). The doors are made with European standard raw material and German equipment and technology.

Also Available Range of Solid Routed PVC Doors. The doors are ready to use with hardware easily fitted anywhere onto the frames as desired by the user.

The doors require no polishing, painting or varnishing hence eliminating recurring expenses. Sunrise Doors are made of best quality imported rigid HDF wood hence are most elegant.

Features

Imported rigid PVC
Anti-wraping / Cracking
Water Proof
It can be one side PVC or both side
Hot pressed
Marine grade
Eco-friendly
Kiln seasoned
International look
No polish / paint
Maintenance free
Real wood texture
Economical

Specifications

Thickness:

Durable

30 mm, 32 mm, 35 mm, 40 mm, 45 mm & 50 mm.

Standard sizes:

81x27, 81x32, 81x35

Other thicknesses and sizes(BULK) available on request.

Flush Doors with PVC Foil - Grooved









Moulded Panel Doors - Gold Primed

Doors are delivered pre-primered (Gold-Primered) No Sanding / Lapi / Putti is required

Clean the surface gently by wet cloth and allow to dry. Then apply 2/3 coats of good quality paints of desired colours.

Doors can be polished to the desired colour or can be stainer finished with the help of sealer which may be applied before stainer with spray gun



International Look Economical Anti-warping / Cracking Durable Eco-friendly Kiln Seasoned Marine Grade

Specifications

Thickness: 30mm

Standard Sizes: in Inches 81 x 27, 81 x 32, 81 x 36, 81 x 39

Other thickness ans sized (bulk) available on request









Moulded Veener Panel Doors

Veneer Moulded panel doors are made from high-density fibre board, resist shrinking swelling cracking and joint separation.

This makes the Veneer Moulded doors durable & Long lasting.

Veneer Moulded Panel door is also known for alternate to decorative solid timber door.



Borer & Warp free Water resistant Custom made, Quick installation and low maintenance No Sanding / Lapi / Putt is required Door can be polished to the desired shades.

Specifications

Standard Sizes: in Inches Height: 78", 80", 82" - Inches Width: 32", 36", 39"- Inches

Thickness: 30mm

Shades Available

Teak, Walnut, Size and Designs are Subject to availability

Other thickness and sizes (Bulk) available on request









Moulded Panel Doors with PVC Foil

Sunrise Moulded Panel Doors are both sides PVC Laminated (one side PVC laminated also available). The doors are made with European standard raw material and German equipment and technology Also Available Range of Solid Routed PVC Doors.

The doors are ready to use with hardware easily fitted anywhere onto the frames as desired by the user. The doors require no polishing, painting or varnishing hence eliminating recurring expenses.

Sunrise Moulded Panel Doors are made of best quality imported rigid PVC wood and fibre board, hence are most elegant.

Features

Imported rigid PVC
Hot Pressed
Marine grade
International look
Economical
Durable
Water Proof
Eco-friendly
Kiln Seasoned
Maintenance free
Real wood texture
Anti-wraping / Cracking
No polish / paint
It can be one side PVC or both side

Specifications

Standard Sizes : in Inches 81" x 27", 81" x 32" 81" x 35"

Thickness: 30mm

Other thickness and sizes available on request.









HDF Flush Doors Gold Primed

Our HDF Doors helps creating outstanding panel definition and add style and distinction.

High-definition panel profiles create outstanding impact in home interiors

In association with World's renowned door brand Masonite Sunrise door promises a durable and tough door with specialised HDF skin.

The HDF Skin comes with basic gold primed finish.

Standard Sizes Available:

Standard Sizes : in Inches 81 x 27, 81 x 32, 81 x 36, 81 x 39

Thickness: 30mm

Other thickness and size available on request











Door Frames

Sunrise door presents the easy to use, elegant and ready to install range of Door frames.

Types of Door Frames

- · Conventional Door Frame
- · Finger Jointed Frame
- · Fire Retardant Door Frame
- · Pre-laminated Door Frame
- · Veneer Door Frames

Features

- · Available as per section & sizes
- · Easy to install on high rising buildings
- · Carton packing protects it from dust & scratches
- · Requires less space which makes it easy and convenient to store
- · No damages during installation and shifting

Railings & Architrave

When it comes to sheer elegance and aesthetics, wood stands apart from other materials. Being specialized in superior joinery products, we bring a wide range of railings for your stairs.


Specifications


Thickness: 30 mm - 52 mm


Length: 2438 mm

Width: 100 mm - 305mm


Measurement Of Door Frame & Architrave







Architrave Profile view





Fire Retardant Doors

1/2 hour fire retardant doors:

The glued crossband/veneer and face veneer of combined thickness of 5mm are applied on both side of the block board / fire core board type frame.

The same is hot pressed under temperature of 150°C and pressure of 16kg/cm2

1/2 hours fire retardant doors:

Resin impregnated mineral heat insulator is layered on both surfaces. The glued crossband/veneer and face veneer of combined thickness of 5mm are applied on both side of the board / fire core board type frame. The same of hot pressed under temperature of 150°C and pressure of 16kg/cm2.

The doors are cut using double dimension technique at all the edges. The are smooth finished on the surfaces with belt sanding machines and then treated with fire retardant chemicals.


The finished doors are finally tested at the laboratory generally conforming to IS 5509:1980 specifications.




Standardize Fire Retardant Doors and Frames As per- ISI-3614 | BS-476

Thickness: 45mm, 50mm and 55mm

Custom sizes only maximum 8x4





Optional Door Infill - Cross Section

1) Timber Core

Timber core is a traditional core extracted from natural resources. Timber core is very popular & common filler used for many years. Mango, Pine, Meranti etc. are commonly used spices of timber. strong and rigid Timber core is also know as solid core or block board.

2) Particle Core:

Particle is popularity used as a core material of filled door worldwide. Its introduction in India is not less than a revolution in the Indian door making Industry. It is matufactured by a special method of extrusion with help of untreated saw mill residues and jute stickes on an eco-friendly basis.

3) Tubler Board

The structure of Tuble board is based on the age-old engineering principle of bridge arcs. Like a bridge construction, Tubler core provides an ideal combination of light weight and powerful resistance. compared to solid doors the weight of Tubler core is reduced by upto 60%.

4) Honeycomb

The honeycomb construction-developed for the aircraft and space technology, provide optimal cover, high load bearing capacity and rigidity to a structure. since many years, honeycomb has been serving as very popular core material for doors worldwide.









Optional Door Accesories

Apart from attractive and durable Doors range we at Sunrise door believes in giving complete door solution so that customer gets everything at one place.

Wide variety of optional door accessories also available with Sunrise Doors on request.

Customer can also get their own accessories and we will do the fitting according to the site requirement.



Glass & Double Doors

Double door gives a wider impact to the space and helps making space when the space demands higher footfall.

Mainly used for commercial purpose our range of Double doors with glass can be customised according to customer requirements.

Available with option of glass fitting/ partial glass or full wood glass. Sunrise doors range of Double Doors and commercial doors gives you complete one stop solution for any project or interior requirement.

Size & Thickness:

Thickness and size available on request







Manufacturing Facilities


















KAILASH TIMBER INDUSTRIES

Corporate Office

KTI A-103, Mahesh Darshan, Near Makhmali Talao, Thane (W), Mumbai 400601, India

www.sunrisedoors.in

Factory

Plot No. 90/1/2, MSSIDC Gandhre Village, Wada, Dist Thane Pin: 421303, (Maharashtra). India.

Contact:

T +91-22-2538 4921 / 922 E sales@sunrisedoors.in